


AD-A277 860



Final Technical Report



Grant No. N00014-93-1-0073

for support of

The Symposium on Inorganic and Organometallic Polymers

1993 Spring National ACS Meeting
Denver, Colorado
March 29 - April 2, 1993

Principal Investigator: Dr. Patty Wisian-Neilson
Department of Chemistry
Southern Methodist University
Dallas, TX 75275-0314

DISTRIBUTION STATEMENT A

Approved for public release
Distribution Unlimited

12P

94-06392



DTIC QUALITY INSPECTED 1

94 2 25 085

The program of the *International Symposium on Inorganic and Organometallic Polymers* reviewed the developments in the area of Inorganic Polymers since the previous symposium on this subject held at the Denver ACS Meeting in 1987. The program at this second meeting included 49 speakers from the United States, France, Germany, Japan, The Netherlands, and Italy, who gave 20 to 30 minute presentations. These were divided into six half-day sessions (Monday, March 28 through Wednesday, March 31) entitled Silicon-containing Polymers (2 sessions), Oxo-network Polymers (1 session), Poly(phosphazenes) (1 session), Main Group Element Polymers (1 session), and Metal-containing Polymers (1 session). In addition, 27 posters on these subjects were presented in the Polymer Division Tuesday evening session. These talks explored a multitude of important and often unique mechanical, thermal, photochemical, electrical, optical, and biomedical properties of Inorganic Polymers. Manuscripts from these papers and posters were published in *Polymer Preprints (Am. Chem. Soc. Div. Polym. Chem.)* 1993, 34(1). The relevant portion of the Table of Contents of *Polymer Preprints* is attached. Attendance at these sessions ranged from 40 to 200 people.

To acquaint those relatively new to the field, a tutorial session was held on Sunday afternoon, March 28 just prior to the regular sessions. Three one hour talks were presented by Harry Allcock, Dietmar Seydel, and Walter Klemperer on "General Principles, Diversity of Systems, and Structure-Property Relationships in Inorganic and Organometallic Polymers", "A Survey of Organosilicon Polymers", and "Oxopolymers: An Introduction to Inorganic Network Polymerization", respectively.

Based on the vast interest in the meeting and a number of new developments in the field of Inorganic Polymers, the organizers have initiated the publication of papers related to this symposium as an *ACS Symposium Series Volume*. Approximately 35 manuscripts have been received and reviewed and are now being returned to the authors for corrections. The tentative Table of Contents of this book is also attached to this report.

Table of Contents for ACS Symposium Series

| author | Manuscript title |
|------------------------------------|--|
| Silicon containing polymers | |
| H. Sakurai | Anionic Polymerization of Masked Disilenes to Polysilylenes. Mechanism and Applications |
| C. Biran, M. Bordeau | Electrochemical Access to Di, Tri and Polysilanes |
| E. Fossum, K. Matyjaszewski | Stereoregular Polysilanes by Ring-Opening Polymerization |
| Joanne Schwark | Polysilazane Thermosets as Precursors for Silicon Carbide and Silicon Nitride |
| R. M. Waymouth | Substituent Effects on the UV Absorption of σ -Conjugated Polysilanes |
| K. J. Wynne | Surface Properties of Polydimethylsiloxane-Urea-Urethane Copolymers with 1,4-Benzenedimethanol as Chain Extender |
| J. C. van de Grampel | Silicon Containing Resist Materials Based on Chemical Amplification |
| Oxopolymers | |
| C. J. Brinker | Structure-Property Relationships in Sol-Gel-Derived Thin Films |
| D. A. Loy | Porous Materials by Design. Plasma Oxidation of Hydrocarbon Templates in Polysilsesquioxanes |
| J. Livage | Sol-Gel Synthesis of Heterometallic Oxopolymers |
| A. R. Barron | A New Structural Model for Alumoxane Macromolecules |
| W. S. Rees, Jr., | Use of the Reaction Products of Diols and Organoaluminum Compounds as Precursors to Al_2O_3 . Control over Ceramic Material Phase and Particle Size by Choice of Chemistry |
| H. K. Schmidt, Herbert Krug | Sol-Gel Based Inorganic-Organic Composite Materials |

| | |
|-------------------|---------------------------------|
| By _____ | Distribution / |
| Availability Code | |
| Dist | Local / City / State Special |
| A-1 | |

| author | Manuscript title |
|--|--|
| Polyphosphazenes | |
| H. R. Allcock | Macromolecular and Materials Design Using Polyphosphazenes |
| R. H. Neilson | New Synthetic, Catalytic, and Structural Studies Related to Poly(alkyl/arylphosphazenes) |
| P. Wisian-Neilson | Backbone Coordination of Poly(alkyl/arylphosphazenes) |
| W. T. Ferrar, | Polyphosphazene Molecular Composites. In Situ Polymerizations of Silicon, Titanium, Zirconium and Aluminum Alkoxides |
| M. Kajiwara | Oxygen Gas Permeability and the Mechanical Properties of Poly(n-butylamino)(di-n-hexylamino)phosphazene Membranes |
| M. Gleria | Grafting Reactions onto Poly(organophosphazenes) |
| Y. W. Chen Yang | Poly[(bis-<i>p</i>-chlorophenoxy)phosphazene] /Polystyrene Blends: Preparation, Compatibility, and Properties |
| M. L. White, K. Matyjaszewski | Polyphosphazene Random and Block Copolymers with Alkoxyalkoxy and Trifluoroethoxy Groups |
| C. E. Hoyle | The Photophysics and Photochemistry of Poly(alkylarylphosphazenes) and Poly(methylphenylphosphazene-<i>graft</i>-polystyrene Copolymers |
| Main group element polymers | |
| A. K. Roy | Poly(alkyl/aryloxothiazenes), [N = S(O)R]_n, A New Direction in Inorganic Polymers |
| L.G. Sneddon/R. T. Paine | Recent Developments in Borazine Based Polymers |
| Y. Kimura | Synthesis and Preceramic Applications of Poly(aminoborazinyls) |
| C. Allen | Quantitative Reactivity Studies of the Copolymerization Reactions of Inorganic Rings Containing Olefinic Substituents |
| Y. Chujo | Synthesis of Organoboron Polymers by Hydroboration Polymerization |

| | |
|--|---|
| L. J. Henderson, Jr. Teddy Keller | Poly(Carborane-Siloxane-Acetylene) as Precursor to High Temperature Thermoset and Ceramic |
| Jim Jensen | Organoauminum Precursors Polymers for Aluminum Nitride Ceramics |
| Metal containing polymers | |
| I. Manners, | Ring-Opening Polymerization (ROP) of Strained, Ring-Tilted Metallocenophanes: A New Route to Organometallic Polymers |
| M. E. Wright | Transition Metals in Polymer Chemistry: The Search for χ (2) Organometallic NLO Polymers |
| M. Hanack | Transition Metalphthalocyanines as Structures for Materials Design |
| D. R. Tyler | Synthesis, Characterization, and Reactivity of a New Class of Photochemically Reactive Polymers Containing Metal-Metal Bonds Along the Polymer Backbone |
| D. S. Bohle | Structural and Spectroscopic Studies of β -Hematin the Heme Coordination Polymer in Malaria Pigment |
| Kenneth Gonsalves | Synthesis of Nanocomposites via Inorganic Polymeric Gels |

POLYMER PREPRINTS

Volume 34

Number 1

March 1993

Published by The Division of Polymer Chemistry, Inc.

American Chemical Society

Papers presented at the Denver, Colorado Meeting

Copyright © 1993 by The Division of Polymer Chemistry, Inc.
American Chemical Society. No papers may be reprinted without permission.
Publication Date: March 5, 1993

| | |
|---|-----|
| Liquid crystalline block copolymers. <u>E. Chiellini</u> , G. Galli, A.S. Angeloni, M.C. Bignozzi, M. Laus, E.I. Serhatli, Y. Yagci. | 190 |
| <u>THURSDAY AM (π-Conjugated and High Carbon Content Systems)</u> | |
| Synthetic approaches to carbon-rich and all-carbon networks. <u>F. Diederich</u> | 192 |
| New approaches to all carbon ladder polymers:cyclization reactions of acetylenes. <u>Q. Zhou, T.M. Swager</u> | 193 |
| Photostructuring of conjugated polymers. <u>K. Müllen</u> , A. Bohm, G. Fießer, R.O. Garay, H. Mauermann, S. Stein. | 195 |
| Conjugated polymers for organic LEDs: Poly[2,5-bis(3 α -5 β -cholestanoxy)-phenylenevinylene] (BCHA-PPV); a processable, yellow light emitter. <u>F. Wudl</u> , S. Höger, C. Zhang, K. Pakbaz, A.J. Heeger. | 197 |
| Structurally perfect ladder polymers: Shape and conversion. M. Löffler, <u>A.-D. Schlüter</u> | 199 |
| A new synthesis of polymers containing acetylenic groups. M. Strukelj, M. Pavanti, <u>A.S. Hay</u> | 201 |
| Synthesis of planar poly(<i>p</i> -phenylene) derivatives for maximization of extended π -conjugation. <u>J.M. Tour</u> , J.J.S. Lamba. | 203 |
| <u>THURSDAY PM (Blocks, Grafts and Networks)</u> | |
| Ring opening polymerization catalysts. <u>R.H. Grubbs</u> , L.K. Johnson, B.M. Novak, M. Hillmyer, A. Benedicto, M. France, S.T. Nguyen. | |
| Synthesis of polymer networks containing degradable polyacetal segments. <u>E.J. Goethals</u> , C.G. Trossaert, P.J. Hartmann, R.R. DeClercq. | 205 |
| Block copolymers via living transition metal initiated polymerizations: Change of mechanism and bimetallic initiator approaches. <u>B.M. Novak</u> , T.J. Deming. | 207 |
| Transport properties of poly(ethylene oxide)-siloxane networks containing lithium perchlorate. S. Boileau, P. Guegan, L. Lestel, <u>D. Teyssié</u> , H. Cheradame. | 209 |
| Synthesis of functionalized poly(α -olefins) via Ziegler-Natta catalysis: Homo- and copolymers. A.-L. Mogstad, M.R. Kesti, G.W. Coates, <u>R.M. Waymouth</u> | 211 |
| Simultaneous hydrosilylation and ring-opening polymerization as a route to novel polymer architectures. <u>J.V. Crivello</u> , M. Fan. | 213 |
| Quantitative evaluation of a smart material: PVA-borate gelation and the gel's response to diols. <u>E.T. Wise</u> , S.G. Weber. | 215 |
| <u>INORGANIC AND ORGANOMETALLIC POLYMERS</u> | |
| (Organizers: <u>H.R. Allcock</u> , <u>K.J. Wynne</u> , <u>P. Wissian-Neilson</u>) | |
| <u>SUNDAY PM (Tutorial)</u> | |
| General principles, diversity of systems, and structure-property relationships in inorganic and organometallic polymers. <u>H.R. Allcock</u> . | |
| A survey of organosilicon polymers. <u>D. Seydel</u> . | |

Oxopolymers: An introduction to inorganic network polymerization. W.G. Klemperer.

MONDAY AM (Silicon-containing Polymers)

| | |
|--|-----|
| Unsaturated organosilicon polymers as preceramic and electrooptic materials. <u>T.L. Barton</u> , Y. Ding, Y. Pang, S. Ijazi-Maghsoodi. | 217 |
| Anionic polymerization of masked disilenes to polysilylenes. Mechanism and applications. <u>H. Sakurai</u> , K. Sakamoto, Y. Funada, M. Yoshida. | 218 |
| Electrochemical access to di, tri and polysilanes. <u>C. Biran</u> , M. Bordeau, M.-P. Lèger-Lambert, F. Spirau, J. Dunogués. | 220 |
| Linear polysilylenes by ring-opening polymerization of cyclotetrasilanes. J. Chrusciel, <u>E. Fossum</u> , <u>K. Matyjaszewski</u> | 221 |
| New polymer pyrolysis routes to near-stoichiometric silicon carbide. D. Seyferth, M. Tasi, H.-G. Woo, P. Czubarow, H.J. Tracy, J.L. Robison, G.E. Koppetsch, T.G. Wood. | 223 |
| Anionic polymerization of cyclic organosilicon compounds initiated by trimethylsilylmethylolithium. T. Zundel, L. Lestel, D. Teyssié, J.M. Yu, <u>S. Boileau</u> | 225 |
| C_{60} -Siloxane polymers for hydrosilylation reactions. <u>R. West</u> , M. Miller, H. Takahashi, T. Gunji, K. Oka. | 227 |

MONDAY PM (Silicon-containing Polymers)

| | |
|--|-----|
| Functionalization of poly(phenyl)silane. J.P. Banovetz, Y.-L Hsiao, <u>R.M. Waymouth</u> | 228 |
| Synthesis, characterization and platinum catalyzed crosslinking of copoly(1-sila-cyclobut- 1-ylidene-1,4-phenylene). Properties of aromatic carbosilane thermoset. <u>C.Y. Liao</u> , M.W. Chen, <u>W.P. Weber</u> | 230 |
| Low temperature Wurtz-type polymerization of substituted dichlorosilanes. <u>R.D. Miller</u> , E.J. Ginsberg, P. Jenkner, D. Thompson. | 232 |
| Comparison of dialkyl and alkyl-aryl substituted polysilanes in solution. <u>P.M. Cotts</u> | 234 |
| Surface properties of polydimethylsiloxane-urea-urethane copolymers with 1,4-benzenedimethanol as chain extender. <u>K.J. Wynne</u> , T. Ho. | 236 |
| Silicon containing resist materials based on chemical amplification. R. Puyenbroek, P. Werkman, J.J. Jansema, <u>J.C. van de Grampel</u> , B.A.C. Rousseeuw, E.W.J.M. van der Drift. | 238 |
| Relationship between the structure and properties of silica membranes and film. <u>C.J. Brinker</u> , N.K. Raman, R. Sehgal, D.L. Logan, T.L. Ward, S. Wallace, R.A. Assink. | 240 |
| Structural characterization of sol-gel derived siloxane-oxide materials. <u>F. Babonneau</u> , J. Maquet, S. Dire. | 242 |
| Porous materials by design, plasma oxidation of hydrocarbon templates in polysilsesquioxanes. <u>D.A. Loy</u> , R.J. Buss, R.A. Assink, K.J. Shea, H. Oviatt. | 244 |

TUESDAY AM (Oxo-network Polymers)

| | |
|---|-----|
| Sol-gel synthesis of heterometallic oxopolymers. <u>J. Livage</u> , F. Babonneau, L. Bonhomme-Coury. | 246 |
|---|-----|

| | |
|--|---------------------|
| A new structural model for alumoxane macromolecules. C.C. Landry, N. Pappé, A.W. Applett, M.R. Mason, <u>A.R. Barron</u> | 248 |
| Molecular growth pathways in titania sol-gel polymerization. Y. Chen, V.W. Day, T.A. Eberspacher, <u>W.G. Klemperer</u> , C.W. Park, F.S. Rosenberg, J. Hao. | 250 |
| Use of the reaction products of diols and organoaluminum compounds as precursors to Al ₂ O ₃ . Control over ceramic material phase and particle size by choice of chemistry. <u>W.S. Rees, Jr.</u> , W. Hesse. | 252 |
| Inorganic polymers derived from silica and alumina. An ion conducting polymer obtained by reaction of BaSi(OCH ₂ CH ₂ O) ₃ with tetraethylene glycol. K.W. Chew, B. Dunn, T. Faltens, M.L. Hoppe, <u>R.M. Laine</u> , L. Nazar, H.-K. Wu. | 254 |
| Polymer precursors to silicate ceramics: Studies of ceramic formation. <u>C.K. Ober</u> , M.H.E. Martin, L. Beecroft. | 256 |
| Towards biomimetic composite materials. Organic-inorganic composite materials possessing rigid chain, helical polyisocyanate templates. <u>B.M. Novak</u> , S.M. Hoff, Y. He. | 258 |
| Sol-gel based inorganic-organic composite materials. <u>H.-K. Schmidt</u> | 260 |
| TUESDAY PM (Polyphosphazenes) | |
| Macromolecular and materials design using polyphosphazenes. <u>H.R. Allcock</u> | 261 |
| New synthetic, catalytic, and structural studies related to poly(alkyl-arylphosphazenes). C.E. Wood, R.C. Samuel, W.R. Kucera, C.M. Angelov, <u>R.H. Neilson</u> | 263 |
| Backbone coordination of poly(alkyl/arylphosphazenes). <u>P. Wisian-Neilson</u> , F.J. Garcia-Alonso. | 264 |
| Polyphosphazene molecular composites II. In situ polymerizations of titanium, zirconium and aluminum alkoxides. B.K. Coltrain, <u>W.T. Ferrar</u> , C.J.T. Landry, T.R. Molaire, D.E. Schildkraut, V.K. Smith. | 266 |
| Oxygen gas permeability and the mechanical properties of poly(n-butylamino) (di-n-hexylamino)phosphazene membranes. <u>M. Kajiwara</u> | 268 |
| Grafting reactions onto poly(organophosphazenes). <u>M. Gleria</u> , F. Minto, P. Bortolus, G. Facchin, R. Bertani, M. Scoponi, F. Pradella. | 270 |
| The compatibility and properties of poly[(bis-p-chlorophenoxy)phosphazene]/polystyrene blends. <u>Y.W. C. Yang</u> , T.T. Wu. | 272 |
| Synthesis of polyphosphazene random and block copolymers. K. Matyjaszewski, M.S. Lindenberg, M.K. Moore, <u>M.L. White</u> | 274 |
| The photophysics and photochemistry of poly(alkylarylphosphazenes). <u>C.E. Hoyle</u> , D. Creed, P. Subramanian, P. Chatterton, I.B. Rufus, P. Wisian-Neilson. | 276 |
| TUESDAY (Posters) | 6:00-8:00 PM |
| Towards identification of the stereoisomers of Me ₄ Ph ₄ Si ₄ . <u>E. Fossum</u> , S. Gordon, J. Maxka, K. Matyjaszewski. | 278 |
| Temperature and solubility effects in the formation of polysilanes by the reductive- coupling of dichloro(organosilanes). R.G. Jones, <u>S.J. Webb</u> | 280 |

| | |
|---|-----|
| Light-emitting devices from poly[(silanylene)thiophene]s. <u>J.K. Heeres</u> , J. Wildeman, R.H. Wieringa, G.G. Malliaras, S.S. Lampoura, G. Hadziloannou. | 282 |
| Hydrosilylation of styrene-isoprene block copolymer. A.H. Gabor, E.A. Lehner, T.E. Long, G. Mao, E.C. Rauch, B.A. Schnell, <u>C.K. Ober</u> | 284 |
| Hydrosilylation of alkenyl azlactones. <u>K. Kumar</u> , S.V. Pathre. | 286 |
| A novel catalytic polymerization reaction. Coupling allyloxy and Si-H moieties. <u>A. Sellinger</u> , <u>R.M. Laine</u> | 288 |
| Synthesis of carboxilane monomers and polymers with mesogenic pendant groups. <u>S.J. Sargeant</u> , W.P. Weber. | 290 |
| Poled ordered phenoxy-silicon polymers as second order nonlinear optical materials. <u>R.J. Jeng</u> , Y.M. Chen, J.I. Chen, J. Kumar, S.K. Tripathy. | 292 |
| Peroxide-substituted polysilazanes: Self-thermosetting ceramic precursors. <u>J.M. Schwark</u> | 294 |
| Preceramic polysilazanes for structural applications. <u>S.T. Schwab</u> , R. C. Graef, C.R. Blanchard, Y.-M. Pan, D.L. Davidson, G.E. Maciel, B.L. Hawkins, S.F. Dec, M.F. Davis, R. Lewis. | 296 |
| Synthesis and characterization of polyphenylene-silica hybrid materials via sol-gel process. H.K. Kim, G. Yin, <u>C.K. Ober</u> | 298 |
| Synthesis and properties of poly[(trimethylsilyl)silsesquioxane]. <u>H. Yamane</u> , Y. Kimura, T. Kitao. | 300 |
| Curable liquid polyazazane precursors for aluminum nitride ceramics. <u>J.A. Jensen</u> | 302 |
| Synthesis and properties of end-reactive oligomers having organosilyl and amino groups. <u>Y. Nagasaki</u> , E. Honzawa, M. Kato, K. Kataoka, T. Tsuruta. | 304 |
| Studies of cross-linking of poly(dimethyl siloxane) networks by inverse gas chromatography. <u>Z. Tan</u> , R. Jaeger, G.J. Vancso. | 306 |
| Synthesis and characterization of triphenyl phosphine oxide containing polyimide- polydimethyl siloxane randomly segmented copolymers. <u>J.M. Weacott</u> , T.H. Yoon, L. Kiefer, D. Rodrigues, G.L. Wilkes, J.E. McGrath, M. Konas. | 308 |
| Poly(arylene ether)s containing phosphorus and heterocyclic pendant moieties. <u>D.B. Priddy, Jr.</u> , M. Franks, M. Konas, M.A. Vrana, T.H. Yoon, J.E. McGrath. | 310 |
| Heat-resistant thermosetting resins and maleimido prepolymers based on a novel tetrakisaminophenoxytriphosphazene. <u>D. Kumar</u> , A.D. Gupta, M. Khullar. | 312 |
| Synthesis and characterization of polyphosphazenes for potential electro-optical applications. <u>A.J. Jaglowski</u> , R.E. Singler. | 314 |
| Chain terminators for polyphosphazenes. R.A. Montague, <u>F. Burkus II</u> , K. Matyjaszewski. | 316 |
| Synthesis routes to oxygen containing poly(alkyl/arylphosphazenes). <u>L. Bailey</u> , M. Bahadur, P. Wisian-Neilson. | 318 |
| Functionalization of polyphosphazenes: Synthesis and characterization of hydroxylic groups-containing poly[bis(alkoxy)phosphazenes]. <u>R. DeJaeger</u> , D. Houalla, C. Francart-Delprato. | 320 |

- New materials based on TEOS-poly(organophosphazene) systems. G. Facchini,
G. Fantin, M. Gleria, M. Guglielmi, F. Spizzo. 322

- Synthesis and properties of aryloxy and mixed substituent alkoxy/aryloxy
poly(thionylphosphazenes) with halogen substituents at sulfur. M. Edwards, Y. Ni,
M. Liang, A. Summer, J. Massey, G.J. Vancso, I. Manners. 324

- Ab initio studies on mimics of substituted poly(thionylphosphazenes). J.B. Lagowski,
R. Jaeger, I. Manners, G.J. Vancso. 326

- Poly(ferrocenylsilanes): Synthesis, characterization, electrochemistry, and pyrolysis to
magnetic ceramics. D.A. Foucher, R. Peterson, B.-Z. Tang, R. Ziembinski,
N. Coombs, P.M. Macdonald, R.N.S. Sodhi, J. Massey, G.J. Vancso, I. Manners. 328

- Synthesis of poly(ferrocenylgermanes) and poly(ferrocenylphosphines) via ring-opening
polymerization. C. Honeyman, D.A. Foucher, O. Mourad, R. Rulkens, I. Manners. 330

WEDNESDAY AM (Main Group Element Polymers)

- New sulfur(VI)-nitrogen based inorganic polymers: Poly(alkyl/aryloxothiazenes),
[N = S(O)R]_n. Synthesis and characterization. A.K. Roy. 332

- Synthesis, characterization and ceramic conversion reactions of borazine-modified
hydridopolysilazanes. K. Su, E.E. Remsen, G.A. Zank, L.G. Sneddon. 334

- Synthesis and processing of BN preceramic polymers. R.T. Paine, M. Fan,
A. Hanprasopwattana, A.K. Datye. 336

- Synthesis and preceramic applications of poly(aminoborazinyls). Y. Kimura, Y. Kubo. 337

- Quantitative reactivity studies of the copolymerization reactions of inorganic rings
containing olefinic substituents. C.W. Allen, D.E. Brown, R. Rayes, R. Tooze,
G.L. Poyser. 339

- Versatile reactions of organoboron polymers prepared by hydroboration polymerization.
Y. Chujo, I. Tomita, M. Morimoto, N. Takizawa, T. Sakurai. 341

- The preparation, characterization and use of boron containing preceramic polymers as
precursors to sintered silicon carbide. G.T. Burns, G.A. Zank. 343

- Thermally and oxidatively stable carborane-siloxane-acetylenic-based thermosetting
polymers. L.J. Henderson, Jr., T.J. Keller. 345

WEDNESDAY PM (Metal-containing Polymers)

- Ring-opening polymerization of strained, ring-tilted metallocenophanes: A new route to
organometallic polymers. I. Manners, D.A. Foucher, B.-Z. Tang. 347

- Transition metals in polymer chemistry: The search for $\chi^{(2)}$ organometallic NLO
polymers. M.E. Wright. 349

- Approaches to stereoregular polyferrocenylene persulfides. D.L. Compton,
T.B. Rauchfuss. 351

- Tetrazine-bridged phthalocyaninato metal complexes: A new class of intrinsic
semi-conductors. M. Hamrick, J.O. Barcina, J. Pohmer, E. Witke. 353

- Synthesis, characterization, and reactivity of a new class of photochemically reactive
polymers. S.C. Tenhaeff, J.J. Wolcott, D.R. Tyler. 354

| | |
|--|-----|
| Synthesis and chemistry of metallo poly(phenylene dicetylenes). <u>L.X. Neenan</u> , O.J.A. Schueler, H.D. Hutton, M.R. Callstrom. | 356 |
| Coordination polymers based on orthobenzoquinone: Synthesis, reactions, and properties of $[\text{Ru}_2(\text{C}_6\text{H}_4\text{O}_2)(\text{CO})_4]$. <u>D.S. Bohle</u> , P.A. Goodson. | 358 |
| Synthesis and characterization of metal ion binding polyesters containing 2,2'-biimidazole. <u>R.L. Lister</u> , H.L. Collier. | 360 |
| Synthesis of nanocomposites via inorganic polymeric gels. <u>K.E. Gonsalves</u> , T.D. Xiao, G.M. Chow, X. Chen, P.R. Strutt. | 362 |

FLUOROPOLYMERS

(Organizers: P.E. Cassidy and T. Davidson)

SUNDAY PM (Tutorial)

- An overview of organofluorine chemistry. R. Flynn.
- The chemistry of hexafluoroisopropanol-substituted aromatics. J.W. Fitch III.
- Synthesis of new fluoro-acrylates and fluoroepoxide monomers. R.L. Soulen.
- Functional fluoropolymers. J. Griffith.
- Polymers containing the hexafluoroisopropylidene group. P.E. Cassidy.
- Introduction to commercial fluoroplastics. A.E. Feiring.

MONDAY AM (Special Properties)

- Fluorine-19 NMR investigation of "6F" based amic acid model compounds.
C.D. Smith, R. Mercier, H. Waton, B. Sillion. 364
- Polymer dynamics studied by ^{19}F multiple quantum coherences. D.A. Lathrop,
K.K. Gleason. 367
- Photolysis of fluorinated polyimides. C.E. Hoyle, D. Creed, P. Subramanian,
R. Nagarajan, C. Pandey, E.T. Anzures. 369
- FTIR study of the influence of stereoregular PMMA morphology on its miscibility with
poly(styrene-co-p-(hexafluoro-2-hydroxy-2-propyl)styrene. D. Luo, T.K. Kwei,
E.M. Pearce. 371
- Characterization of the electronic properties of the 6F and 3F groups. D.E. Fjare. 373
- Effects of fluorine substitution on polarization and dielectric properties of polyimides.
G. Hougham, G. Tesoro, A. Viehbeck, J. Chapple-Sokol. 375
- Synthesis, properties, and applications of composite materials based on grafted
copolymers of perfluoropolymers and perfluorinated monomers with functional groups.
B.V. Mislavsky, V.P. Melnikov. 377
- Photoelectron spectra and macromolecular structure of fluorine-containing polyether ketones.
T. Davidson, P.D. Bourgeois. 379

MONDAY PM (Synthesis)

- Low dielectric, fluorinated polyimide copolymers. D.M. Stoeckley, A.K. St. Clair,
C.I. Croall. 381